



The Pythagora range



0002 0 102





P610SS

Pythagora 60 cm Fan Oven

4 functions
 Energy efficiency class: A
 Oven capacity: 57 litres
 LED full programmer
 Cooling fan
 Thermostatically controlled grill
 Double-glazed removable door
 Removable inner glass door

P620SS

Pythagora 60 cm Multifunction Oven

7 functions
 Energy efficiency class: A
 Oven light
 Oven capacity: 57 litres
 LED full programmer
 Cooling fan
 Thermostatically controlled grill
 Double-glazed removable door
 Removable inner glass door

P620BL

Pythagora 60 cm Multifunction Oven

7 functions
 Energy efficiency class: A
 Oven light
 Oven capacity: 57 litres
 LED full programmer
 Cooling fan
 Thermostatically controlled grill
 Double-glazed removable door
 Removable inner glass door

P630SS

Pythagora 60 cm Multifunction Oven

9 functions
 Energy efficiency class: A
 Mark resistant coating
 Oven capacity: 57 litres
 Wipe-clean enamel cavity
 LED full programmer with temperature display
 Push-in/push-out knob control
 Electronically controlled thermostat
 Cooling fan
 Thermostatically controlled grill
 Triple-glazed removable door

P640SS

Pythagora 60 cm Single Knob Multifunction Oven


9 functions
 Energy efficiency class: A
 Oven capacity: 57 litres
 LED full programmer with function and temperature display
 Push-in/push-out knob control
 Electronically controlled thermostat
 Cooling fan
 Thermostatically controlled grill
 Triple-glazed removable door
 Mark resistant coating

PD4SS

Pythagora 29 cm High Warming Drawer

PD3SS

Pythagora 14 cm High Warming Drawer



P650SS

Pythagora 60 cm Multifunction Self-cleaning Pyrolytic Oven

- 9 functions
- Energy efficiency class: A
- Oven capacity: 57 litres
- LED full programmer
- Electronically controlled thermostat
- Cooling fan
- Mark resistant coating
- Thermostatically controlled grill
- Triple-glazed door
- Automatic safety door-lock when in pyrolytic mode
- Catalytic exhaust

P660SS

Pythagora 60 cm Multifunction Touch Control Oven

- 10 functions
- Energy efficiency class: A
- Oven capacity: 57 litres
- Touch control operation
- Electronically controlled thermostat
- Cooling fan
- Safety control lock
- Thermostatically controlled grill
- Triple-glazed removable door
- Mark resistant coating

P670SS

Pythagora 60 cm Multifunction Touch Control Oven

- 10 functions
- Energy efficiency class: A
- Oven capacity: 57 litres
- Touch control operation
- 25 recipes (15 preset, 10 free)
- Text display (ENG, FR, IT, SP, DE, CZ)
- Electronically controlled thermostat
- Cooling fan
- Thermostatically controlled grill
- Safety lock
- Triple-glazed removable door
- Mark resistant coating

POM9440SS

Pythagora 60 cm Large Capacity Multifunction Oven

- 9 functions
- Energy efficiency class: A
- Mark resistant coating
- Oven capacity: 65 litres
- Side opening reversible door
- LED full programmer
- Cooling fan
- Thermostatically controlled grill
- Wipe-clean enamel cavity
- Flush mounted installation
- Double-glazed removable door

P900SS

Pythagora 90 cm Multifunction Oven

- 9 functions
- Energy efficiency class: A
- Oven capacity: 92 litres
- LED full programmer
- Thermostatically controlled grill
- Electronically controlled thermostat
- Cooling fan
- Triple-glazed removable door
- Mark resistant coating



P460SS

Pythagora 46 cm High Multifunction Touch Control Oven

10 functions
 Energy efficiency class: A
 Oven capacity: 45 litres
 Touch control operation
 Electronically controlled thermostat
 Cooling fan
 Safety control lock
 Thermostatically controlled grill
 Triple-glazed removable door
 Mark resistant coating

P470SS

Pythagora 46 cm High Combi Steam and Multifunction Oven

Energy efficiency class: A
 Oven capacity: 31 litres
 Touch control operation
 Text display (EN, FR, IT, SP, DE)
 Electronically controlled thermostat
 Cooling fan
 Safety lock
 Mark resistant coating
 Triple-glazed removable door

PMC355SS

Pythagora 46 cm High Compact Combination Microwave Oven

6 functions
 Oven capacity: 35 litres
 Touch control operation
 Safety lock
 Drop down grill
 Mark resistant coating
 Front opening door
 Removable inner glass door
 Microwave output: 1000 W
 Grill output: 1500 W
 Maximum hot air output: 1600 W
 3 auto functions:
 F1: Heating food
 F2: Cooking
 F3: Defrosting and toasting
 Defrosting by time and by weight

PECM1SS

Pythagora Semi-Automatic Coffee Machine

Touch control operation
 Mark resistant coating with central mirrored glass
 Choice of 1 or 2 cups
 Coffee dispenser
 Suitable for Italian/French pods or ground coffee
 Can be plumbed in or filled manually

 Coffee boiler power: 1000 W
 Steam boiler power: 800 W
 Water tank: 1.8 litres

P760SS

Pythagora 60 cm Built-under Electric Double Oven

Energy efficiency class: A
 LED full programmer
 2 cooling fans
 Thermostatically controlled grills
 Triple-glazed removable doors

 Top oven: Static oven and grill
 4 functions
 Capacity: 36 litres

 Main oven: Multifunction oven
 9 functions
 Capacity: 53 litres

P960SS

Pythagora 60 cm Built-in Electric Double Oven

Energy efficiency class: A
 LED full programmer
 2 cooling fans
 Thermostatically controlled grills
 Triple-glazed removable doors

 Top oven: Static oven and grill
 4 functions
 Capacity: 36 litres

 Main oven: Multifunctional oven
 9 functions
 Capacity: 60 litres



Baumatic



8

8

1

0

PYTHASORA
DESIGN



P62SS

Pythagora 60 cm Front Control 4 Burner Gas Hob

1 x 3.30 kW triple crown (wok) burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Flame failure safety device on each burner
Front control operation
Heavy duty cast iron pan stands

P68SS

Pythagora 70 cm Front Control 5 Burner Gas Hob

1 x 3.30 kW triple crown (wok) burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Flame failure safety device on each burner
Front control operation
Heavy duty cast iron pan stands
Underknob auto-ignition
Fits into a standard 60 cm cut out

P68BL

Pythagora 70 cm Front Control 5 Burner Gas Hob

1 x 3.30 kW triple crown (wok) burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Flame failure safety device on each burner
Front control operation
Heavy duty cast iron pan stands
Underknob auto-ignition
Fits into a standard 60 cm cut out

P75SS

Pythagora 75 cm Front Control 5 Burner Gas Hob

1 x 4.20 kW hypergas burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner


Flame failure safety device on each burner
Front control operation
Heavy duty cast iron pan stands
Underknob auto-ignition
Fits into a standard 60 cm cut out
Hypergas extra powerful wok burner (4.50 kW)

PF75SS

Pythagora 75 cm Flush Mounted Front Control 5 Burner Gas Hob

1 x 4.50 kW hypergas burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Flame failure safety device on each burner
Front control operation
Heavy duty cast iron pan stands
Underknob auto-ignition
Fits into a standard 60 cm cut out
Hypergas extra powerful wok burner (4.50 kW)
Not suitable for installation above built-under ovens



P76SS

Pythagora 75 cm Front Control 5 Burner Gas Hob

1 x 4.50 kW hypergas burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Flame failure safety device on each burner
Front control operation
Heavy duty cast iron pan stands
Underknob auto-ignition
Fits into a standard 60 cm cut out
Hypergas extra powerful wok burner (4.20 kW)

P90SS

Pythagora 90 cm Front Control 5 Burner Gas Hob

1 x 4.50 kW hypergas burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Flame failure safety device on each burner
Front control operation
Heavy duty cast iron pan stands
Underknob auto-ignition
Hypergas extra powerful wok burner (4.20 kW)

PHC620SS

Pythagora 60 cm 4 Hyperspeed Zone Ceramic Hob

1 x 0.75/2.20 kW double hyperspeed zone Ø 120/210 mm
1 x 1.10/2.00 kW oval hyperspeed zone Ø 140/250 mm
2 x 1.20 kW hyperspeed zones Ø 140 mm

Front touch control operation
4 individual residual heat indicators
Safety lock
Timer
Stainless steel frame

PHC720SS

Pythagora 77 cm 4 Hyperspeed Zone Ceramic Hob

1 x 0.75/2.2 kW double hyperspeed zone Ø 120/210 mm
1 x 1.10/2.0 kW hyperspeed rectangular zone Ø 140/240 mm
1 x 1.80 kW hyperspeed zone Ø 180 mm
1 x 1.20 kW hyperspeed zones Ø 140 mm

Front touch control operation
4 individual residual heat indicators
Safety lock
Timer
Stainless steel frame



PVC2SS

Pythagora 30 cm 2 Hyperspeed Zone Ceramic Domino Hob

1 x 1.80 kW hyperspeed zone Ø 180 mm
1 x 1.20 kW hyperspeed zone Ø 140 mm

Front control operation
1 individual residual heat indicator

PWK1SS

Pythagora 30 cm 1 Wok Burner Gas Domino Hob

1 x 4.50 kW hypergas burner

Flame failure safety device
Front control operation
Cast iron pan stand
Underknob auto-ignition
Hypergas extra powerful wok burner (4.20 kW)

PG2SS

Pythagora 30 cm 2 Burner Gas Domino Hob

1 x 3.00 kW rapid burner
1 x 1.00 kW auxiliary burner

Flame failure safety device on each burner
Front control operation
Cast iron pan stand
Underknob auto-ignition

PBQSS

Pythagora 30 cm Barbeque Domino Hob

Maximum output 2.40 kW


Front control operation
Removable enamelled griddle
Lava stones

PF1SS

Pythagora 30 cm Deep Fat Fryer Domino Hob

Maximum output 2.30 kW

Capacity: 3 litres
Front control operation
Removable stainless steel basket and bowl



P10SS

Pythagora 90 cm Chimney Hood

High extraction tangential motor
 Touch control operation
 3 stainless steel grease filters
 2 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation

P14SS

Pythagora 60 cm Chimney Hood

High extraction tangential motor
 Touch control operation
 2 stainless steel grease filters
 Fluorescent light
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation

P15SS

Pythagora 90 cm Chimney Hood

High extraction tangential motor
 Touch control operation
 3 stainless steel grease filters
 Fluorescent light
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation

P25SS


Pythagora 90 cm Chimney Hood

Tangential motor with perimetric extraction
 Perimetric extraction
 Touch control operation
 Mark resistant coating FASTEEL
 2 metallic grease filters
 2 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 STRATOX structure of front panel
 Extraction capacity: 800m³/hr
 Extraction or recirculation

P30SS

Pythagora 90 cm Chimney Hood

High extraction tangential motor
 Touch control operation
 Mark resistant coating FASTEEL
 2 stainless steel grease filters
 2 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation



P31SS

Pythagora 90 cm Glass Chimney Hood

High extraction tangential motor
 Touch control operation
 Mark resistant coating FASTEEL
 2 stainless steel grease filters
 2 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation

P35SS

Pythagora 90 cm Chimney Hood

High extraction tangential motor
 Perimetric extraction
 Touch control operation
 Mark resistant coating FASTEEL
 2 metallic grease filters
 3 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation

PI2GL

Pythagora 35 cm Island Cooker Hood

High extraction tangential motor
 Touch control operation
 Stainless steel metallic filter
 4 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation

PI2SS

Pythagora 35 cm Island Cooker Hood

High extraction tangential motor
 Touch control operation
 Stainless steel metallic filter
 4 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation

PI1SS

Pythagora 40 cm Island Cooker Hood

High extraction tangential motor
 Touch control operation
 Aluminium filter
 4 halogen lights
 4 speeds
 Service warning indicator
 Cut-off timer
 Extraction capacity: 800m³/hr
 Extraction or recirculation





Pythagora 70 cm Multifunction Oven Cooker

5 burner gas hob
1 x 3.60 kW triple crown (wok) burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Heavy duty cast iron pan stands
Underknob auto ignition

Multifunction oven – 8 functions
Energy efficiency class: B
Capacity: 61 litres
Thermostatically controlled grill
Minute minder
Cooling fan
Double-glazed removable door
Adjustable feet



Pythagora 70 cm Gas Oven Cooker

5 burner gas hob
1 x 3.60 kW triple crown (wok) burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Heavy duty cast iron pan stands
Underknob auto ignition

Gas oven with grill – 2 functions
Capacity: 65 litres
Minute minder
Thermostatically controlled grill
Cooling fan
Flame failure safety device in the oven and grill
Double-glazed removable door
Adjustable feet



PCG9110SS

Pythagora 90 cm Gas Oven Cooker

5 burner gas hob
1 x 3.60 kW triple crown (wok) burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Heavy duty cast iron pan stands
Underknob auto ignition

Gas oven with grill – 2 functions
Capacity: 117 litres
Minute minder
Thermostatically controlled grill
Cooling fan
Flame failure safety device in the oven and grill
Double-glazed removable door
Adjustable feet



PCC9120SS

Pythagora 90 cm Cooking Theatre

5 burner gas hob
1 x 3.60 kW triple crown (wok) burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Heavy duty cast iron pan stands
Underknob auto ignition

Multifunction oven – 8 functions
Energy efficiency class: B
Capacity: 107 litres
LED full programmer
Thermostatically controlled grill
Cooling fan
Double-glazed removable door
Adjustable feet



PCC9220SS

Pythagora 90 cm Twin Cavity Cooking Theatre

5 burner gas hob
1 x 3.60 kW triple crown (wok) burner
1 x 3.00 kW rapid burner
2 x 1.75 kW semi-rapid burners
1 x 1.00 kW auxiliary burner

Heavy duty cast iron pan stands
Underknob auto ignition

Energy efficiency class: B
LED full programmer
Thermostatically controlled grill
2 x cooling fan
Double-glazed removable door
Adjustable feet

Main oven: Multifunction – 8 functions
Capacity: 61 litres

Second oven: Static with grill – 5 functions
Capacity: 37 litres



PCC9220BL

Pythagora 90 cm Twin Cavity Cooking Theatre

5 burner gas hob
 1 x 3.60 kW triple crown (wok) burner
 1 x 3.00 kW rapid burner
 2 x 1.75 kW semi-rapid burners
 1 x 1.00 kW auxiliary burner

Heavy duty cast iron pan stands
 Underknob auto ignition

Energy efficiency class: B
 LED full programmer
 Thermostatically controlled grill
 2 x cooling fan
 Double-glazed removable door
 Adjustable feet

Main oven: Multifunction – 8 functions
 Capacity: 61 litres

Second oven: Static with grill – 5 functions
 Capacity: 37 litres



PCE9220SS

Pythagora 90 cm Twin Cavity Cooking Theatre

5 zone ceramic hob
 1 x 1.40/2.20 kW hyperspeed oval zone Ø 170/265 mm
 1 x 2.20 kW hyperspeed zone Ø 210 mm
 2 x 1.20 kW hyperspeed zone Ø 145 mm
 1 x 0.7/2.10 kW hyperspeed zone Ø 120/210 mm

5 residual heat indicators
 Energy efficiency class: B
 LED full programmer
 Thermostatically controlled grill
 2 x cooling fan
 Double-glazed removable door
 Adjustable feet

Main oven: Multifunction – 8 functions
 Capacity: 61 litres

Second oven: Static with grill – 5 functions
 Capacity: 37 litres



PCC1220SS

Pythagora 100 cm Twin Cavity Cooking Theatre


5 burner gas hob
 1 x 3.60 kW triple crown (wok) burner
 1 x 3.00 kW rapid burner
 2 x 1.75 kW semi-rapid burners
 1 x 1.00 kW auxiliary burner

Heavy duty cast iron pan stands
 Underknob auto ignition


Energy efficiency class: B
 LED full programmer
 Thermostatically controlled grill
 2 x cooling fan
 Double-glazed removable door
 Adjustable feet

Main oven: Multifunction – 8 functions
 Capacity: 61 litres

Second oven: Static with grill – 5 functions
 Capacity: 37 litres



ΠΥΘΑΓΟΡΑ




Baumatic®
www.baumatic.co.uk

Baumatic Ltd
(United Kingdom)
T: +44 (0) 118 933 6900
F: +44 (0) 118 9310 035
E: sales@baumatic.co.uk

Service:
T: +44 (0) 118 933 6911
F: +44 (0) 118 986 9124



Baumatic operates a policy of continuous improvement and reserves the right to adjust and modify its products and prices without prior notification. All appliances carry the full 12 months labour guarantee and 5 years parts guarantee (valid for United Kingdom and Northern Ireland only). Register the Baumatic appliance within 28 days of purchase to receive the second year's labour warranty FREE. Register online or complete the form with the appliance.